

XDN300H

- Max. milling ripper torque: 7.5 kNm
- Power of milling ripper: 18.5 kW
- Rotation speed of milling ripper: 13 rpm
- Outer diameter × length: $\phi 435 \times 2500$ mm
- Weight: 1.3 t

XDN400H

- Max. torque: 19 kNm
- Milling ripper power: 18.5 kW
- Rotation speed of milling ripper: 7 rpm
- Outer diameter × length: $\phi 560 \times 2530$ mm
- Weight: 1.7 t

XDN500H

- Max. torque: 19 kNm
- Milling ripper power: 30 kW
- Rotation speed of milling ripper: 7 rpm
- Outer diameter × length: $\phi 695 \times 2400$ mm
- Weight: 2.2 t

XDN600H

- Max. torque: 22 kNm
- Milling ripper power: 30 kW
- Rotation speed of milling ripper: 6 rpm
- Outer diameter × length: $\phi 795 \times 2410$ mm
- Weight: 2.5 t

XDN800H

- Max. torque: 54 kNm
- Milling ripper power: 45 kW
- Milling ripper rotation speed: 4.7 rpm
- Outer diameter × length: $\phi 980 \times 3010$ mm
- Weight: 4.2 t

XDN1000H

- Max. torque: 68 kNm
- Milling ripper power: 45 kW
- Milling ripper rotation speed: 3.7 rpm
- Outer diameter × length: $\phi 1220 \times 3025$ mm
- Weight: 5.5 t

XDN1200H

- Max. torque: 195 kNm
- Milling ripper power: 45 kW
- Rotation speed of milling ripper: 6 rpm
- Outer diameter × length: $\phi 1470 \times 3570$ mm
- Weight: 9 t

XDN400H-R

- Max. torque: 19 kNm
- Milling ripper power: 30 kW
- Rotation speed of milling ripper: 15 rpm
- Outer diameter × length: $\phi 560 \times 2640$ mm
- Weight: 2 t

XDN500H-R

- Max. torque: 19 kNm
- Milling ripper power: 30 kW
- Rotation speed of milling ripper: 15 rpm
- Outer diameter × length: $\phi 695 \times 2530$ mm
- Weight: 2.5 t

XDN600H-R

- Max. torque: 22 kNm
- Milling ripper power: 30 kW
- Milling ripper rotation speed: 14 rpm
- Outer diameter × length: $\phi 795 \times 25900$ mm
- Weight: 2.8 t

XDN800H-R

- Max. torque: 80 kNm
- Milling ripper power: 45 kW
- Milling ripper rotation speed: 14 rpm
- Outer diameter × length: $\phi 980 \times 3160$ mm
- Weight: 4.5 t

XDN1000H-R

- Max. torque: 133 kNm
- Milling ripper power: 45 kW
- Rotation speed of milling ripper: 8 rpm
- Outer diameter × length: $\phi 1220 \times 3150$ mm
- Weight: 6 t

XDN1200H-R

- Max. torque: 220 kNm
- Milling ripper power: 45 kW
- Milling ripper rotation speed: 5.2 rpm
- Outer diameter × length: $\phi 1470 \times 3570$ mm
- Weight: 9.5 t

XDN800-S

- Max. torque: 50 kNm
- Milling ripper power: 30×1 kW
- Milling ripper rotation speed: 5.7 rpm
- Outer diameter × length: $\phi 980 \times 3000$ mm
- Weight: 5 t

2XDN1000-S

- Max. torque: 50 kNm
- Milling ripper power: 30×1 kW
- Milling ripper rotation speed: 5.7 rpm
- Outer diameter × length: \varnothing 1220×3000mm
- Weight: 6 t

XDN1200-S

- Max. torque: 188 kNm
- Milling ripper power: 22×2 kW
- Milling ripper rotation speed: 4.4 rpm
- Outer diameter × length: \varnothing 1460×3900mm
- Weight: 9 t

4 XDN1350-S

- Max. torque: 188 kNm
- Milling ripper power: 22×2 kW
- Milling ripper rotation speed: 4.4 rpm
- Outer diameter × length: \varnothing 1640×3900mm
- Weight: 10 t

XDN1500-S

- Max. torque: 275 kNm
- Milling ripper power: 30×2 kW
- Rotation speed of milling ripper: 4.2 rpm
- Outer diameter × length: \varnothing 1820×4500mm
- Weight: 14 t

XDN1650-S

- Max. torque: 275 kNm
- Milling ripper power: 30×2 kW
- Rotation speed of milling ripper: 4.2 rpm
- Outer diameter × length: \varnothing 2000×4500mm
- Weight: 16 t

XDN1800-S

- Max. torque: 412 kNm
- Milling ripper power: 30×2 kW
- Rotation speed of milling ripper: 4.2 rpm
- Outer diameter × length: \varnothing 2180×4500 mm
- Weight: 18 t

XDN2000-S

- Max. torque: 412 kNm
- Milling ripper power: 30×3 kW
- Rotation speed of milling ripper: 4.2 rpm
- Outer diameter × length: \varnothing 2420×4500 mm
- Weight: 22 t

XDN2200-S

- Max. torque: 698 kNm
- Milling ripper power: 30×3 kW
- Rotation speed of milling ripper: 3.3 rpm
- Outer diameter × length: $\phi 2670 \times 4700$ mm
- Weight: 26 t

XDN2400-S

- Max. torque: 698 kNm
- Milling ripper power: 30×4 kW
- Rotation speed of milling ripper: 3.3 rpm
- Outer diameter × length: $\phi 2910 \times 4700$ mm
- Weight: 31 t

XDN2600-S

- Max. torque: 872 kNm
- Milling ripper power: 30×4 kW
- Rotation speed of milling ripper: 3.3 rpm
- Outer diameter × length: $\phi 3100 \times 4700$ mm
- Weight: 36 t

XDN2800-S

- Max. torque: 872 kNm
- Milling ripper power: 30×5 kW
- Rotation speed of milling ripper: 3.3 rpm
- Outer diameter × length: $\phi 3380 \times 4700$ mm
- Weight: 42 t

XDN3000-S

- Max. torque: 1429 kNm
- Milling ripper power: 30×6 kW
- Rotation speed of milling ripper: 2.4 rpm
- Outer diameter × length: $\phi 3630 \times 5350$ mm
- Weight: 54 t

XDN3200-S

- Max. torque: 1429 kNm
- Milling ripper power: 30×6 kW
- Rotation speed of milling ripper: 2.4 rpm
- Outer diameter × length: $\phi 3380 \times 5350$ mm
- Weight: 62 t

XDN3500-S

- Max. torque: 1905 kNm
- Milling ripper power: 30×8 kW
- Rotation speed of milling ripper: 2.4 rpm
- Outer diameter × length: $\phi 4140 \times 5500$ mm
- Weight: 72 t

XDN4000-S

- Max. torque: 1905 kNm
- Milling ripper power: 30×8 kW
- Rotation speed of milling ripper: 2.4 rpm
- Outer diameter × length: $\phi 4840 \times 5500$ mm
- Weight: 88 t

XDN1200-R

- Max. torque: 188 kNm
- Milling ripper power: 22×2 kW
- Milling ripper rotation speed: 4.4 rpm
- Outer diameter × length: $\phi 1470 \times 4670$ mm
- Weight: 14 t

XDN1350-R

- Max. torque: 188 kNm
- Milling ripper power: 22×2 kW
- Milling ripper rotation speed: 4.4 rpm
- Outer diameter × length: $\phi 1650 \times 4670$ mm
- Weight: 15 t

XDN1500-R

- Max. torque: 294 kNm
- Milling ripper power: 37×2 kW
- Milling ripper rotation speed: 4.8 rpm
- Outer diameter × length: $\phi 1830 \times 5135$ mm
- Weight: 20.5 t

XDN1650-R

- Max. torque: 294 kNm
- Milling ripper power: 37×2 kW
- Milling ripper rotation speed: 4.8 rpm
- Outer diameter × length: $\phi 2010 \times 5135$ mm
- Weight: 22.5 t

XDN1800-R

- Max. torque: 441 kNm
- Milling ripper power: 37×3 kW
- Milling ripper rotation speed: 4.8 rpm
- Outer diameter × length: $\phi 2190 \times 5135$ mm
- Weight: 25 t

XDN2000-R

- Max. torque: 588 kNm
- Milling ripper power: 37×4 kW
- Milling ripper rotation speed: 4.8 rpm
- Outer diameter × length: $\phi 2430 \times 5135$ mm
- Weight: 30 t

XDN2200-R

- Max. torque: 746 kNm
- Milling ripper power: 37×4 kW
- Milling ripper rotation speed: 3.8 rpm
- Outer diameter × length: \varnothing 2680×5500 mm
- Weight: 40 t

XDN2400-R

- Max. torque: 933 kNm
- Milling ripper power: 37×5 kW
- Milling ripper rotation speed: 3.8 rpm
- Outer diameter × length: \varnothing 2920×5500 mm
- Weight: 46 t

XDN2600-R

- Max. torque: 933 kNm
- Milling ripper power: 37×5 kW
- Milling ripper rotation speed: 3.8 rpm
- Outer diameter × length: \varnothing 3110×5500mm
- Weight: 49 t

XDN2800-R

- Max. torque: 1119 kNm
- Milling ripper power: 37×6 kW
- Milling ripper rotation speed: 3.8 rpm
- Outer diameter × length: \varnothing 3390×5500 mm
- Weight: 53 t

XDN3000-R

- Max. torque: 1905 kNm
- Milling ripper power: 30×8 kW
- Rotation speed of milling ripper: 2.4 rpm
- Outer diameter × length: \varnothing 3630×5800 mm
- Weight: 65 t

XDN3200-R

- Max. torque: 1905 kNm
- Milling ripper power: 30×8 kW
- Rotation speed of milling ripper: 2.4 rpm
- Outer diameter × length: \varnothing 3870×6000 mm
- Weight: 85 t

XDN3500-R

- Max. torque: 1905 kNm
- Milling ripper power: 30×8 kW
- Rotation speed of milling ripper: 2.4 rpm
- Outer diameter × length: \varnothing 4170×6200 mm
- Weight: 105 t

XDN4000-R

- Max. torque: 2216 kNm
- Milling ripper power: 45×8 kW
- Rotation speed of milling ripper: 3 rpm
- Outer diameter × length: $\varnothing 4840 \times 6400$ mm
- Weight: 135 t