

XSL5/280A

- Drilling depth: 500 m (\varnothing 89 mm)
- Max. diameter of excavation layer: \varnothing 400 mm
- Max. lifting force: 280 kN
- Max. top drive torque: 9200 Nm
- Total weight: 12 t

XSL7/360A

- Drilling depth: 700 m (\varnothing 102 mm)
- Max. diameter of excavation layer: \varnothing 500 mm
- Max. lifting force: 360 kN
- Max. top drive torque: 15,000 Nm
- Total weight: 13.7 t

XSL10/520

- Drilling depth: 1000 m (\varnothing 102 mm)
- Max. diameter of excavation layer: \varnothing 500 mm
- Max. lifting force: 520 kN
- Max. top drive torque: 21,000 Nm
- Total weight: 17.6 t

XSL12/600

- Drilling depth: 1200 m (\varnothing 102 mm)
- Max. diameter of excavation layer: \varnothing 500 mm
- Max. lifting force: 540 kN
- Max. top drive torque: 20,000 Nm
- Total weight: 22 t

XSL15/680

- Drilling depth: 1500 m (\varnothing 114 mm)
- Max. diameter of excavation layer: \varnothing 500 mm
- Max. lifting force: 680 kN
- Max. top drive torque: 24,000 Nm
- Total weight: 39.5 t

XSL20/1000

- Drilling depth: 2000 m (\varnothing 114 mm)
- Max. diameter of excavation layer: \varnothing 610 mm
- Max. lifting force: 1000 kN
- Max. top drive torque: 31,500 Nm
- Total weight: 47.5 t

XSL20/1000E

- Drilling depth: 2000 m (\varnothing 114 mm)
- Max. diameter of excavation layer: \varnothing 610 mm
- Max. lifting force: 1000 kN
- Max. top drive torque: 31,500 Nm
- Total weight: 47.5 t

XSL20/1000A

- Drilling depth: 2000 m (\varnothing 114 mm)
- Max. diameter of excavation layer: \varnothing 610 mm
- Max. lifting force: 1000 kN
- Max. top drive torque: 31,500 Nm
- Total weight: 55 t

XSL12/600A

- Drilling depth: 1200 m (\varnothing 89 mm)
- Max. diameter of excavation layer: \varnothing 500 mm
- Max. lifting force: 600 kN
- Max. Top drive torque: 0 Nm
- Total weight: 24 t

XSC30/1300

- Drilling depth: 3000 m (\varnothing 114 mm)
- Max. diameter of excavation layer: \varnothing 820 mm
- Max. lifting force: 1300 kN
- Max. top drive torque: 28,500 Nm
- Total weight: 55 t

XSM1800

- Drilling depth: 3000 m (\varnothing 127 mm)
- Max. diameter of excavation layer: \varnothing 698.5 mm
- Max. lifting force: 1850 kN
- Max. top drive torque: 36,000 Nm
- Engine power: 2 × 400 kW